

Purchase Order Receipt Listing

Monday, December 05, 2016 11:39:53 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO34228 Receipt Dates from 12/5/2016 to 12/5/2016 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---|-----------------------|------------|--|-----------------------|-------------------------------|------------------------|----------------------|------------------------------|--|----------------------------|----------|
| Vendor ID \ Vendor Name VU-MET002 A.M. Castle & Co. (Canada) Inc.- C/O 910720 | | | | | | | | | | | |
| PO34228 | 3 | | M7075T6B5.000X0.3 f 75 | | 12/2/2016 | 12/5/2016 | 12.0000 | | 0.0000 | 0 | \$0.00 |
| USD | No | | 7075-T6 BAR 5.000" f X 0.375" m136303 | | 12.0000 | PLOU01 | | | 0.0000 | 0 | |
| | 4 | | M7075T6B6.000X0.2 f 50 | | 12/2/2016 | 12/5/2016 | 12.0000 | | 0.0000 | 0 | \$0.00 |
| | No | | 7075-T6 BAR 6.000" f X 0.250" m136303 | | 12.0000 | PLOU01 | | | 0.0000 | 0 | |
| | 7 | | 71401-45 | | 11/24/2016 | 12/5/2016 | 1.0000 | | 0.0000 | 0 | \$0.00 |
| | No | | PROCUREMENT QUALITY CLAUSES m136303 | | 1.0000 | PLOU01 | | | 0.0000 | 0 | |

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:

25.0000
0.0000
0.0000
\$0.00
0.0000



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1


Shipment No:3140017

| | | | | |
|--|-------------------------|--|---|--|
| Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| Date Shipped 01-DEC-16 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier MANITOU LIN | BOL No 3140017-2 |

Shipments Details

| | | | |
|-----------------------------------|---------------------|--------------------------------|---|
| Order No 4555598 | Line No 5 | Item No 750023.MO | Description 0.2500.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 6 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 |
| Purchase Order No 34228 | Part Number | Ordered Qty 1.00 PCS | Invoice Qty 1.00 PCS |

Details
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S
Email P/s and certs to: clavoie@dartaero.com
END USER: DART AEROSPACE
END USE: COMMERCIAL AIRCRAFT PARTS

| | | | | | | | |
|----------------------------------|-----------------------------------|---|---------------------|-----------------|-------------------|--------------------|------------------------------------|
| Delivery No. 120679474 | Mill KAISER ALUMINUM | Heat Number  | Mech Id 1 | PCS 1 | Width (IN) | Length (IN) | Shipped Qty(LBS) 22.8550 |
|----------------------------------|-----------------------------------|---|---------------------|-----------------|-------------------|--------------------|------------------------------------|

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be for credit.

Reviewed by Authorized Castle Metals Representative:

SHIPPED DEC 01 2016

Date: DEC 01 2016

Name: B. Castles

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US Law is Prohibited.
Date Printed: 01-DEC-2016 03:38:10 PM



Castle Metals®

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.


Page 1 of 1

Shipment No:3140017

| | | | | |
|--|-------------------------|--|---|--|
| Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| Date Shipped 01-DEC-16 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier MANITOU LIN | BOL No 3140017-2 |

Shipment Details

Final Destination Branch - TOR

| | | | |
|--|-----------------------------------|---|---|
| Order No 4555598 | Line No 4 | Item No 750067.MO | Description 0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 5 IN (+ 1250/- .0000 IN) X 144.5 IN (+ 1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS. AMS-QQ-A-250/12 |
| Purchase Order No 34228 | Part Number | Ordered Qty 1.00 PCS | Invoice Qty 1.00 PCS |
| Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS | | | |
| Delivery No. 120679474 | Mill KAISER ALUMINUM | Heat Number  182874B8 | Mech Id 1 |
| | | Width (IN) | Length (IN) |
| | | | Shipped Qty(LBS) 28.3863 |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

SHIPPED

Date: DEC 01 2016

Name: S. Cartier

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 01-DEC-2016 03:38:10 PM



KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
http://Online.KaiserAluminum.com

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

| | | | | | | | |
|--|---------------------------------|---------------------------------|--|--|------------------------------|--|--|
| CUSTOMER PO NUMBER: 397667-1 | | WORK PACKAGE: | | CUSTOMER PART NUMBER: 750023 | | PRODUCT DESCRIPTION: Sawed Plate | |
| KAISER ORDER NUMBER: 1221537 | LINE ITEM: 1 | SHIP DATE: 10/15/2016 | ALLOY: 7075 | CLAD: BARE | TEMPER: T651 | | |
| WEIGHT SHIPPED: 3218 LB | QUANTITY: 18 PCS EST. | B/L NUMBER: 2062991 | GUAGE: 0.2500 IN | WIDTH: 48.500 IN | LENGTH: 144.500 IN | | |
| SHIP TO: A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723 US | | | SOLD TO: AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523 US | | | | |

MHU 2042070: LOT 191863B0: 6 pieces
MHU 2051167: LOT 191839B0: 12 pieces

Certified Specifications

AMS 4045/RevL AMS-QQ-A-250/12/RevA ASTM B 209/Rev14 CMMF 025/RevV

Test Code: 1512

Test Results:

DAS
14
9-89
16/12/16

LOT: 191839B0 CAST: 280 DROP: 35 INGOT: 5

Melted in USA
(ASTM E8/B557)
(EN 2002-1)

| | | | | |
|-----------------|-------------------|----------------------------|----------------------------|--------------|
| Tensile: Temper | Dir/#Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| T651 | LT / 02 (Min:Max) | 85.6 : 86.0 (590 : 593) | 75.8 : 75.8 (523 : 523) | 11.7 : 12.0 |

(ASTM E1251)

| | | | | | | | | | | | |
|------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual | 0.09 | 0.18 | 1.5 | 0.03 | 2.4 | 0.20 | 5.8 | 0.03 | 0.01 | 0.02 | TOT 0.06 |

LOT: 191863B0 CAST: 280 DROP: 02 INGOT: 4

Melted in USA
(ASTM E8/B557)
(EN 2002-1)

| | | | | |
|-----------------|-------------------|----------------------------|----------------------------|--------------|
| Tensile: Temper | Dir/#Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| T651 | LT / 02 (Min:Max) | 86.8 : 86.9 (598 : 599) | 77.4 : 77.6 (534 : 535) | 11.5 : 11.8 |

(ASTM E1251)

| | | | | | | | | | | | |
|------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual | 0.07 | 0.16 | 1.4 | 0.02 | 2.5 | 0.21 | 6.0 | 0.02 | 0.01 | 0.01 | TOT 0.06 |



Plant Serial: 4436448
Kaiser Order Number: 1221537
Line Item: 1

KAISER ALUMINUM

FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

| Chemistry: | | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
|------------|-----|------|------|-----|------|-----|------|-----|------|------|------|----------|
| 7075 | MIN | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | MAX 0.05 |
| | MAX | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT 0.15 |

Aluminum Remainder

Miscellaneous Notes

AMC CA-15409 R 3

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order: * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture. * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. * has been thermally processed in compliance with AMS 2772, where applicable. * is Mercury free, within the limits of detection of ASTM E1215 (<1ppm). * is in compliance with RoHS 2, European Union Directive 2011/65/EU. * is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates. * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act. * is free of weld repair. * meets the reporting requirements of EN10204, Type 3.1. Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



Plant Serial: 4436448

Kaiser Order Number: 1221537

SHIP TO:

A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number
4432137

| | | | | | | | | | | | |
|---------------------------------|--|--------------------------|--|---------------------------------|--|------------------------------------|--|---|--|--------------------------------------|--|
| CUSTOMER PO NUMBER: 391052-1 | | WORK PACKAGE: 750067 | | CUSTOMER PART NUMBER: 750067 | | SHIP RUN/LOAD: 103677/18 | | GOV'T CONTRACT NUMBER: | | | |
| KAISER ORDER NO: 1218530-1 | | SHIP DATE: 7-SEP-2016 | | ALLOY: 7075 | | CLAD: BARE | | TEMPER: T651 | | PRODUCT DESCRIPTION: Sawed Plate | |
| WEIGHT SHIPPED: 3299 LB | | QUANTITY: 12 PCS EST. | | TRUCK B/L #: 2062306 | | GAUGE: 0.3750 IN (9.5250 MM) | | DIAMETER/WIDTH: 48.500 IN (1231.9 MM) | | LENGTH: 144.500 IN (3670.3 MM) | |

MHU 2026202: LOT 178168B1: 7 pieces;

MHU 2030006: LOT 182874B8: 5 pieces;

Certified Specifications

AMS 4045/RevL
CMMP 025/RevV

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

DAS
14
SEP

16/12/07

Test Code: 1512

Lot: 178168B1 Cast 211

Drop 65

Test Results

Ingot 1

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T651 | LT / 2 (Min:Max) | 85.1 : 85.6 (587 : 590) | 75.6 : 76.2 (521 : 525) | 12.8 : 13.6 |

(ASTM E1251)

| | | | | | | | | | | | |
|---------------|----------|---------|---------|------|-----|------|-----|------|------|------|---------------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.08 | 0.17 | 1.5 | 0.03 | 2.5 | 0.19 | 5.7 | 0.03 | 0.01 | 0.01 | TOT 0.05 |
| Lot: 182874B8 | Cast 246 | Drop 08 | Ingot 4 | | | | | | | | Melted in USA |

(ASTM E8/B557)

(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T651 | LT / 2 (Min:Max) | 82.6 : 83.1 (570 : 573) | 73.0 : 73.4 (503 : 506) | 13.2 : 13.5 |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.08 | 0.20 | 1.4 | 0.03 | 2.3 | 0.20 | 5.6 | 0.02 | 0.01 | 0.01 | TOT 0.05 |



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4432137

ALLOY LIMITS

| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 3

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- * All test equipment and measuring devices are calibrated and certified in accordance with applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- * was melted in the United States of America or a qualifying country per DFARS 225.672-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- * is free of weld repair.
- * meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 T6 BL.00X.250 PO / BATCH NO.: 34228/136303
 DATE: 11/12/07

MATERIAL CERT REC'D: 482
 QUANTITY RECEIVED: 12
 QUANTITY INSPECTED: 12
 QUANTITY REJECTED: _____

THICKNESS ORDERED: .250
 THICKNESS RECEIVED: .250
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|--------------------------------------|----------------------------|
| SURFACE DAMAGE | Y <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y N | |
| CORROSION | Y <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y N | <u>7075 T6</u> |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y N | <u>.250</u> |
| PHOTO REQUIRED | Y <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y N | <u>AMS-QQ-A-250/12</u> |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y N | <u>HEAT # 191839B0</u> |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y N | <u>M7075 T6 BL.00X.250</u> |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y N | <u>M136303</u> |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y <input checked="" type="radio"/> N | |

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
 RECORD RESULTS BELOW

| | HRC | HRB | DUR A | DUR D |
|------------------------------|-----|-----|-------|-------|
| TYPE OF MATERIAL | | | | |
| SIZE OF TEST SAMPLE | | | | |
| HARDNESS / DUROMETER READING | | | | |

testers located in the Quality Office

| | |
|---|--|
| QC 18 INSPECTION <div style="text-align: center; font-size: 1.2em; font-weight: bold;">48</div> INSPECTED BY: <u>9:89</u> DATE: <u>11/12/13</u> | ENGINEERING SIGNOFF (if required) SIGNED OFF BY: _____ DATE: _____ |
|---|--|

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 TL6 BS.00X.375

PO / BATCH NO.: 34228/136303

DATE: 16/12/07

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .375

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: .380

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: _____

QUANTITY REJECTED: _____

SHEET SIZE RECEIVED: _____

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|---------------------------------------|-----------------------------|
| SURFACE DAMAGE | Y <input checked="" type="checkbox"/> | |
| CORRECT FINISH | <input checked="" type="checkbox"/> N | |
| CORROSION | Y <input checked="" type="checkbox"/> | |
| CORRECT GRAIN DIRECTION | <input checked="" type="checkbox"/> N | |
| CORRECT MATERIAL | <input checked="" type="checkbox"/> N | <u>7075-T6</u> |
| CORRECT THICKNESS | <input checked="" type="checkbox"/> N | <u>.380</u> |
| PHOTO REQUIRED | Y <input checked="" type="checkbox"/> | |
| CORRECT MATERIAL | <input checked="" type="checkbox"/> N | <u>AMS-QQ-A-250/12</u> |
| CORRECT REF # TO LINK CERT | <input checked="" type="checkbox"/> N | <u>HEAT# 182874B8</u> |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="checkbox"/> N | <u>M7075 TL6 BS.00X.375</u> |
| CORRECT M# ON THE MATERIAL | <input checked="" type="checkbox"/> N | <u>M136303</u> |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y <input checked="" type="checkbox"/> | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y <input checked="" type="checkbox"/> | |

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

| | HRC | HRB | DUR A | DUR D |
|------------------------------|-----|-----|-------|-------|
| TYPE OF MATERIAL | | | | |
| SIZE OF TEST SAMPLE | | | | |
| HARDNESS / DUROMETER READING | | | | |

testers located in the Quality Office

| | | | |
|--|----------------------|--|--|
| QC 18 INSPECTION | | ENGINEERING SIGNOFF (if required) | |
| INSPECTED BY: <u>DAS</u> <u>14</u> <u>9-89</u> | SIGNED OFF BY: _____ | | |
| DATE: <u>16/12/07</u> | DATE: _____ | | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 1 **EMAILED**

Order From :

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

NOV 08 2016

Contact Name
Vendor Phone

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer
Customer POID
Customer Tax #
Terms
Currency
FOB

Chantal Lavoie
10127-2607
Net 30
USD
Destination-Collect

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|---|--|--|--------------------------------------|----|--------------------------------|---------------|----------------|
| 1 | M7075T6B1.250X07.000 ✓ | 7075-T6 BAR 1.25" X 7.000" ORDER PRE CUT TO 50.00" | 11/23/2016 Yes 11/23/2016 | | 33.33 ✓ f | \$52.08 | \$1,736.00 |
| MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE NOTE: CUT 8 PCS TO 50" LONG. GRAIN DIRECTION ALONG LENGHT | | | | | | | |
| Line Total: | | | | | | | \$1,736.00 |
| 2 | M7075T6B1.750X02.250 ✓ | 7075-T6 BAR 1.750" X 2.250" | 11/23/2016 Yes 11/23/2016 | | 12.00 ✓ f | \$30.75 | \$369.00 |
| MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE | | | | | | | |
| Line Total: | | | | | | | \$369.00 |

2016-11-28

Note:

11/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 2 of 3

Order From :

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB Destination-Collect

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

Yours ppd

3 M7075T6B5.000X0.375 7075-T6 BAR 5.000" X 0.375" 11/23/2016
Yes
11/23/2016

12.00 \$16.60 \$199.20

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

SP/6-12-5

Line Total: \$199.20

4 M7075T6B6.000X0.250 7075-T6 BAR 6.000" X 0.250" 11/23/2016
Yes
11/23/2016

12.00 \$14.50 \$174.00

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

SP/6-12-5

Line Total: \$174.00

5 M7075T73B3.000X4.000 7075-T73 Bar 3.0 x 4.0 grain direction along 3" 11/23/2016
Yes
11/23/2016

4.00 \$91.75 \$367.00

MATERIAL: 7075-T73/T7351/T73510/T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 3" WIDE

SP/6-11-28

Note:

11/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 3 of 3

Order From :

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

10127-2607

Customer Tax #

Net 30

Terms

Currency

USD

FOB

Destination-Collect

| | | | | | |
|--|----------|---|------------|--------------------|-------------------|
| | | | | Line Total: | \$367.00 |
| 6 | 16011-00 | 7075T6 ROUND BILLET 8" DIA X 2.750" LONG | 11/23/2016 | 8.00 | \$114.00 |
| | | | | Each | \$912.00 |
| NEW JIGS FOR WELDING ROBOT | | | | | |
| | | | | | |
| | | | | Line Total: | \$912.00 |
| 7 | 71401-45 | PROCUREMENT QUALITY CLAUSES | 11/23/2016 | 1.00 | \$0.00 |
| | | | | | \$0.00 |
| Procurement Quality Clauses | | | | | |
| A005 right of entry | | | | | |
| A012 chemical and physical test report | | | | | |
| A016 personnel qualification | | | | | |
| A017 raw material identification (as applicable) | | | | | |
| A026 certification of material conformance | | | | | |
| A041 quality management system | | | | | |
| A042 dart notification by supplier | | | | | |
| A043 retention of quality documents | | | | | |
| | | | | Line Total: | \$0.00 |
| | | | | PO Total: | \$3,757.20 |

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 11/8/2016